



Centros de planchado
Ironing centres



Centros de planchado



Ironing centres

Centros de planchado *Ironing centres*



400300-D DRY IRON

- Plancha en seco con desconexión automática
- *Dry iron with auto shut-off*



400300-S STEAM IRON

- Plancha de vapor con desconexión automática
- *Steam iron with auto shut-off*



SWIRLS

400201-S Centro de planchado con plancha vapor
Ironing centre with steam iron

400201-D Centro de planchado con plancha en seco
Ironing centre with dry iron

DIM. tabla/ironing surface: 1160 mm. x 370 mm.
DIM. abierto/open: 50 mm. x 370 mm. x 1160 mm.



PLANCHA EN SECO CON SISTEMA DE AUTOAPAGADO:

- Apagado automático en posición de planchado, sin ser utilizada, a los 30 segundos.
- Apagado automático en posición vertical, sin ser utilizada, a los 8 minutos.
- Luz roja indicadora de funcionamiento.
- Suela antideslizante.
- 1.100 W.
- Voltaje 220-240 v/60 Hz.
- Cable antirrobo de 2,5 metros (válido para la mayoría de los enchufes internacionales).
- Certificaciones: SASO/Intertek, TÜV/GS & CE.
- Fácil de guardar, con gancho suspendido, patentado para la plancha y colocación en el armario.

AUTO SHUT OFF DRY IRON:

- *Safe auto shut-off after 30 seconds when unused in horizontal position.*
- *Safe auto shut-off after 8 minutes when unused in vertical position.*
- *Red "in use" indicator light.*
- *Non-stick soleplate.*
- *1.100 Watt.*
- *220-240 volt / 60 Hz.*
- *Anti-theft: 2.5 meter cable (available with most international plugs).*
- *Certifications: SASO/Intertek, TÜV/GS & CE.*
- *Easy to store in wardrobe due to built-in garment rail hook and patented click lock system.*

PLANCHA DE VAPOR CON SISTEMA DE AUTOAPAGADO:

- Apagado automático en posición de planchado, sin ser utilizada, a los 30 segundos.
- Apagado automático en posición vertical, sin ser utilizada, a los 8 minutos.
- Luz roja indicadora de funcionamiento.
- Suela antideslizante.
- Potente botón de golpe de vapor con función de rocío (70 g/min).
- Tanque de agua de 250 ml (incluye 2 envases de relleno).
- 1.800 W.
- Voltaje 220-240 v/60 Hz.
- Cable antirrobo de 2,5 metros (válido para la mayoría de los enchufes internacionales).
- Certificaciones: SASO/Intertek, TÜV/GS & CE.
- Fácil de guardar, con gancho suspendido, patentado para la plancha y colocación en el armario.

AUTO SHUT OFF STEAM IRON:

- *Safe auto shut-off after 30 seconds when unused in horizontal position.*
- *Safe auto shut-off after 8 minutes when unused in vertical position.*
- *Red "in use" indicator light.*
- *Non-stick soleplate.*
- *Powerful steam blast button with spray facilities (70 g/min).*
- *250 ml water tank (2 filling cups included).*
- *1.800 Watt.*
- *220-240 volt / 60 Hz.*
- *Anti-theft: 2.5 meter cable (available with most international plugs).*
- *Certifications: SASO/Intertek, TÜV/GS & CE.*
- *Easy to store in wardrobe due to built-in garment rail hook and patented click lock system.*



Soporte para tabla de planchar
Ironing board support

400203 ORGANISER

- Soporte plancha/tabla
- *Iron/board support*



DIM.: 110 mm. x 140 mm. x 310 mm.



INDIGO

400500-S CON PLANCHA VAPOR/WITH STEAM IRON

400500-D CON PLANCHA EN SECO/WITH DRY IRON

MEDIDAS/DIMENSIONS

- Conjunto Tabla/Ironing board
200 mm. x 420 mm. x 1430 mm.
- Superficie de planchado/Ironing surface
1180 mm. x 420 mm.

COBALT

400400-S CON PLANCHA VAPOR/WITH STEAM IRON

400400-D CON PLANCHA EN SECO/WITH DRY IRON

MEDIDAS/DIMENSIONS

- Conjunto Tabla/Ironing board
160 mm. x 410 mm. x 1430 mm.
- Superficie de planchado/Ironing surface
960 mm. x 400 mm.

AZURE

400100-S CON PLANCHA VAPOR/WITH STEAM IRON

400100-D CON PLANCHA EN SECO/WITH DRY IRON

MEDIDAS/DIMENSIONS

- Conjunto Tabla/Ironing board
230 mm. x 410 mm. x 1360 mm.
- Superficie de planchado/Ironing surface
960 mm. x 400 mm.

SWIRLS

400201-S CON PLANCHA VAPOR/WITH STEAM IRON

400201-D CON PLANCHA EN SECO/WITH DRY IRON

MEDIDAS/DIMENSIONS

- Conjunto Tabla/Ironing board
50 mm. x 370 mm. x 1160 mm.
- Superficie de planchado/Ironing surface
1160 mm. x 370 mm.

Centros de planchado *Ironing centres*

**NUEVO
NEW**



NAVY III

400200 Centro de planchado pared
Wall ironing centre

Dimensiones tabla/Dimensions:
Anchura máxima desplegado/Max width when unfolded: 90cm.
Superficie tabla/Ironing surface: 850 mm. x 310 mm.

**NUEVO
NEW**



MARINER

400202-S Centro de planchado con plancha vapor
Ironing centre with steam iron

400202-D Centro de planchado con plancha en seco
Ironing centre with dry iron

DIM. tabla/ironing surface: 1050 mm. x 420 mm.
DIM. abierto/open: 200 mm. x 420 mm. x 1430 mm.

